


Raychem ELECTROMELT



SELF-REGULATING SURFACE SNOW-MELTING AND ANTI-ICING HEATING CABLE



PRODUCT OVERVIEW

Raychem ElectroMelt provides surface snow melting and anti-icing in concrete pavement.

Self-regulating

The polymer core of an ElectroMelt heating cable automatically adjusts power output at every point along its length in response to concrete pavement temperature. This response characteristic eliminates burnouts caused by overlapping cable and provides improved energy efficiency without the need for special controls.

Parallel circuitry

The crosslinked, conductive polymer core of the ElectroMelt heating cable is extruded between two 14 AWG copper bus wires, forming a parallel circuit. This allows ElectroMelt heating cables to be cut to length and to be spliced and repaired, if necessary, in the field.

Rugged

Specifically designed for direct burial in concrete, ElectroMelt heating cables are protected by a tinned-copper braid encased in a 70-mil modified polyolefin outer jacket. With no exposed metal parts to corrode, no cold leads to fail, and no burnout due to overlaps or hot spots, rugged ElectroMelt heating cable offers an ideal solution for all types of concrete pavement snow melting and anti-icing.

CATALOG NUMBER	FM2-XR

POWER OUTPUT W/FT (W/M)	Voltage	Power Output W/ft (W/m)	
	208	30 (98)	
	240	32 (105)	
	277	34 (112)	
DIMENSIONS			
Maximum width	0.75 in (19 mm)		
Maximum thickness	0.38 in (10 mm)		
MINIMUM INSTALLATION TEMPER	ATURE		
	()°F (-18°C)	
MINIMUM BEND RADIUS			
	2	in (50 mm)	

MAXIMUM CIRCUIT LENGTH FOR STARTUP AT 20°F (-7°C) IN FEET (METERS)

	Heating cable supply voltage						
Circuit breaker (A)		208 V		240 V		277 V	
15	80	(24)	85	(26)	100	(31)	
20	105	(32)	115	(35)	130	(40)	
30	160	(49)	170	(52)	195	(59)	
40	210	(64)	230	(70)	260	(79)	
50	265	(81)	285	(87)	325	(99)	

MAXIMUM CIRCUIT LENGTH FOR STARTUP AT 0°F (-18°C) IN FEET (METERS)

	Heating cable supply voltage						
Circuit breaker (A)		208 V		240 V		277 V	
15	75	(23)	80	(24)	90	(27)	
20	100	(31)	110	(34)	120	(37)	
30	145	(44)	160	[49]	180	(55)	
40	200	(61)	210	(64)	240	(73)	
50	245	(75)	265	(81)	300	(91)	

[†] Not permitted

BUS WIRES

14 AWG nickel-plated copper

BRAID / OUTER JACKET

Heavy tinned-copper braid encased in a 70-mil modified polyolefin outer jacket

NOMINAL WEIGHT

180 lb/1000 ft (268 kg/1000 m)

CONNECTION KITS

Raychem ElectroMelt connection kits must be used to terminate ElectroMelt heating cables. Refer to the Surface Snow Melting and Anti-Icing Design Guide – ElectroMelt (H53393) for proper connection kit selection.

APPROVALS



877Z De-icing and Snow-melting Equipment



The EM2-XR heating cable is UL Listed and CSA Certified only when used with the appropriate agency-approved Pentair Thermal Building & Industrial Heat Tracing Solutions connection kits and accessories.

GROUND-FAULT PROTECTION

To minimize the danger of fire from sustained electrical arcing if the heating cable is damaged or improperly installed, and to comply with the requirements of Pentair Thermal Building & Industrial Heat Tracing Solutions, agency certifications, and national electrical codes, ground-fault equipment protection must be used on each heating cable branch circuit. Arcing may not be stopped by conventional circuit protection. Many Raychem control and monitoring systems meet the ground-fault protection requirement.



WWW.PENTAIRTHERMAL.COM

NORTH AMERICA

Tel: +1.800.545.6258 Fax: +1.800.527.5703 Tel: +1.650.216.1526 Fax: +1.650.474.7711 thermal.info@pentair.com **EUROPE, MIDDLE EAST, AFRICA**

Tel: +32.16.213.511 Fax: +32.16.213.603 thermal.info@pentair.com **ASIA PACIFIC**

Tel: +86.21.2412.1688 Fax: +86.21.5426.2937 cn.thermal.info@pentair.com LATIN AMERICA

Tel.: +1.713.868.4800 Fax: +1.713.868.2333 thermal.info@pentair.com

Pentair and ElectroMelt are owned by Pentair or its global affiliates. All other trademarks are the property of their respective owners. Pentair reserves the right to change specifications without prior notice.

© 2000-2016 Pentair.